



Practitioner's Docket No. 944-001.065

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Matti SALMI

Application No.: 10 /099,853

Group No.: 2155

Filed: March 13, 2002

Examiner: Thuong NGUYEN

For: SEPARATION OF INSTANT

Reexamination control No.:

MESSAGING USER AND CLIENT IDENTITIES

Mail Stop Appeal Brief—Patents

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**TRANSMITTAL OF APPEAL BRIEF
(PATENT APPLICATION OR EX PARTE REEXAMINATION—
37 C.F.R. § 41.37)**

NOTE: The phrase "the date on which" an "appeal was taken" in 35 U.S.C. 154(b)(1)(A)(ii) (which provides an adjustment of patent term if there is a delay on the part of the Office to respond within 4 months after an "appeal was taken") means the date on which an appeal brief under § 1.192 (and not a notice of appeal) was filed. Compliance with § 41.37 requires that: 1. the appeal brief fee (§ 41.20(b)(2)) be paid (§ 41.37(a)(2)); and 2. the appeal brief complies with §§ 41.73(c)(i)-(x). See Notice of September 18, 2000, 65 Fed. Reg. 56366, 56385-56387 (Comment 38).

1. Transmitted herewith is the APPEAL BRIEF in this application, with respect to the Notice of Appeal filed on May 15, 2007.

NOTE: Appellant must file a brief under this section within two months from the date of filing the notice of appeal under § 41.31. 37 CFR 41.31(a)(1). The brief is no longer required in triplicate. The former alternative time for filing a brief (within the time allowed for reply to the action from which the appeal was taken)

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

- ☒ deposited with the United States Postal Service in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

37 C.F.R. § 1.8(a)

37 C.F.R. § 1.10*

- ☒ with sufficient postage as first class mail.

☐ as "Express Mail Post Office to Addressee"

Mailing Label No. _____ (mandatory)

TRANSMISSION

- ☐ facsimile transmitted to the Patent and Trademark Office, (571) 273-8300.

Date: 9/18/07

Kathleen Sipos
Signature

Kathleen Sipos

(type or print name of person certifying)

** Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.*

09/20/2007 HDESTA1 00000068 10099853

02 FC:1251

120.00 OP

(Transmittal of Appeal Brief [9-6.1]—page 1 of 5)

has been removed. Appellant must file within two months from the notice of appeal. See Notice of August 12, 2004, 69 FR 49960, 49962.

2. STATUS OF APPLICANT

This application is on behalf of

☒ other than a small entity.

☐ a small entity.

A statement:

☐ is attached.

☐ was already filed.

3. FEE FOR FILING APPEAL BRIEF

Pursuant to 37 C.F.R. § 41.20(b)(2), the fee for filing the Appeal Brief is:

☐ small entity \$250.00

☒ other than a small entity \$500.00

Appeal Brief fee due \$ 500.00

4. EXTENSION OF TERM

NOTE: 37 C.F.R. § 1.704(b) ". . . an applicant shall be deemed to have failed to engage in reasonable efforts to conclude processing or examination of an application for the cumulative total of any periods of time in excess of three months that are taken to reply to any notice or action by the Office making any rejection, objection, argument, or other request, measuring such three-month period from the date the notice or action was mailed or given to the applicant, in which case the period of adjustment set forth in § 1.703 shall be reduced by the number of days, if any, beginning on the day after the date that is three months after the date of mailing or transmission of the Office communication notifying the applicant of the rejection, objection, argument, or other request and ending on the date the reply was filed. The period, or shortened statutory period, for reply that is set in the Office action or notice has no effect on the three-month period set forth in this paragraph."

NOTE: The time periods set forth in 37 C.F.R. § 1.192(a) are subject to the provision of § 1.136 for patent applications. 37 C.F.R. § 1.191(d). See also Notice of November 5, 1985 (1060 O.G. 27).

NOTE: As the two-month period set in § 1.192(a) for filing an appeal brief is not subject to the six-month maximum period specified in 35 U.S.C. § 133, the period for filing an appeal brief may be extended up to seven months. 62 Fed. Reg. 53,131, at 53,156; 1203 O.G. 63, at 84 (Oct. 10, 1997).

☒ The proceedings herein are for a patent application and the provisions of 37 C.F.R. § 1.136 apply.

WARNING: The provisions of 37 CFR § 1.136 do not apply in an ex parte reexamination. Any requests for extension must be made pursuant to 37 CFR 1.550(c).

(complete (a) or (b), as applicable)

(a) ☒ Applicant petitions for an extension of time under 37 C.F.R. § 1.136 (fees: 37 C.F.R. § 1.17(a)(1)-(5)) for the total number of months checked below:

Extension (months)	Fee for other than small entity	Fee for small entity
<input checked="" type="checkbox"/> one month	\$ 120.00	\$ 60.00
<input type="checkbox"/> two months	\$ 450.00	\$ 225.00
<input type="checkbox"/> three months	\$ 1,020.00	\$ 510.00
<input type="checkbox"/> four months	\$ 1,590.00	\$ 795.00
<input type="checkbox"/> five months	\$ 2,160.00	\$ 1,080.00

Fee: \$ 120.00

If an additional extension of time is required, please consider this a petition therefor.

(check and complete the next item, if applicable)

- ☐ An extension for _____ months has already been secured, and the fee paid therefor of \$ _____ is deducted from the total fee due for the total months of extension now requested.

Extension fee due with this request \$ _____

or

- (b) ☐ Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition and fee for extension of time.

5. TOTAL FEE DUE

The total fee due is:

Appeal brief fee \$ 500.00

Extension fee (if any) \$ 120.00

TOTAL FEE DUE \$ 620.00

6. FEE PAYMENT

- ☒ Attached is a ☒ check ☐ money order in the amount of \$ 620.00
- ☐ Authorization is hereby made to charge the amount of \$ _____
- ☐ to Deposit Account No. _____
- ☐ to Credit card as shown on the attached credit card information authorization form PTO-2038.

WARNING: Credit card information should not be included on this form as it may become public.

- ☐ Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.
- ☐ A duplicate of this paper is attached.

7. FEE DEFICIENCY

NOTE: If there is a fee deficiency and there is no authorization to charge an account, additional fees are necessary to cover the additional time consumed in making up the original deficiency. If the maximum six-month period has expired before the deficiency is noted and corrected, the application is held abandoned. In those instances where authorization to charge is included, processing delays are encountered in returning the papers to the PTO Finance Branch in order to apply these charges prior to action on the cases. Authorization to change the deposit account for any fee deficiency should be checked. See the Notice of April 7, 1986, 1065 O.G. 31-33.

- ☒ If any additional extension and/or fee is required,

AND/OR

- ☒ If any additional fee for claims is required, charge:

☒ Deposit Account No. 23-0442

- ☐ Credit card as shown on the attached credit card information authorization form PTO-2038.

WARNING: Credit card information should not be included on this form as it may become public.

Date: September 18, 2007

Reg. No.: 58,051

Customer No.: 004955



SIGNATURE OF PRACTITIONER

Keith R. Obert of Ware, Fressola,
Van Der Sluys & Adolphson, LLP

(type or print name of practitioner)

Bradford Green, Bldg. 5, 755 Main Street
P.O. Box 224

P.O. Address

Monroe, CT 06468



PATENT
Attorney Docket No. 944-001.065

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In Re Application of:

Matti SALMI : Confirmation No.: **4491**
Serial No: **10/099,853** : Examiner: **Thuong NGUYEN**
Filed: **March 13, 2002** : Group Art Unit: **2155**

For: **SEPARATION OF INSTANT MESSAGING USER AND CLIENT IDENTITIES**

Mail Stop Appeal Briefs-Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

APPEAL BRIEF

Sir:

This Appeal Brief is in furtherance of the Notice of Appeal filed May 15, 2007 along with a Pre-Appeal Brief Request for Review, and in response to the Notice of Panel Decision to proceed to the Board of Patent Appeals and Interferences of July 19, 2007. The Notice of Appeal was filed in response to the final Office Action of February 15, 2007.

I hereby certify that this paper is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Mail Stop Appeal Briefs-Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Kathleen Sipos *Sept 18, 2007*
Kathleen Sipos Date

09/20/2007 HDESTA1 00000068 10099853

01 FC:1402

500.00 UP

I. REAL PARTY IN INTEREST (37 C.F.R. § 41.37(c)(1)(i))

The real party in interest in this appeal is Nokia Corporation, a corporation organized under the laws of Finland.

II. RELATED APPEALS AND INTERFERENCES (37 C.F.R. § 41.37(c)(1)(ii))

There are no related appeals or interferences.

III. STATUS OF CLAIMS (37 C.F.R. § 41.37(c)(1)(iii))

Claims 1-67 are pending in the application. Claims 1-12, 14-26, 28-39, 41-53, 55-59, 61-62, 64-65 and 67 are rejected, and claims 13, 27, 40, 54, 60, 63 and 66 are objected to as being dependent upon a rejected base claim. The rejection of claims 1-12, 14-26, 28-39, 41-53, 55-59, 61-62, 64-65 and 67 is being appealed.

IV. STATUS OF AMENDMENTS (37 C.F.R. § 41.37(c)(1)(iv))

No after final amendments were submitted, and therefore all amendments filed have been entered.

V. SUMMARY OF CLAIMED SUBJECT MATTER (37 C.F.R. § 41.37(c)(1)(v))

The independent claims are 1, 15, 28, 42, 56, 59, 61 and 64. Independent claim 1 recites a method for communicating a primitive from a terminal device to a network. The primitive has information elements with a structure recognized by the terminal device and at least one other entity able to communicate over said network. The method includes providing the primitive with an information element identifying a client of the terminal device, and providing the primitive also with an information element identifying a user of the client. *See* specification page 15, lines 13-15; *see also* page 16, lines 8-16.

Independent claim 15 recites a system for communicating identification information over a network. *See* Figures 2A & 2C. The system includes at least one terminal device for providing a primitive with an information element identifying a client of the terminal device and an information element identifying a user of the client, and at least one other entity for receiving the primitive provided over said network. *See* specification page 15, line 29—page 16, line 7. The

information element identifying a client of the terminal device and the information element identifying a user of the client are used by the at least one other entity to distinguish the user and the client. *See* specification page 17, line 24—page 18, line 4; *see also* page 19, lines 14-22.

Independent claim 28 recites a device for communicating a primitive over a network. The primitive has information elements with a structure recognized by at least one other entity of the network. *See* specification page 20, lines 8-28. The device recited in claim 28 is configured to provide the primitive with an information element identifying a client of the device, and provide the primitive also with an information element identifying a user of the client. *See* specification page 17, lines 24-28.

Independent claim 42 recites a server for communicating a primitive over a network. The primitive has information elements with a structure recognized by clients being able to communicate with the server over the network. *See* specification page 19, line 23—page 20, line 7. The primitive comprises an information element identifying a client and an information element identifying a user of the client. *See* specification page 17, lines 24-28.

Independent claim 56 recites a physical device that includes a client. *See* Figure 2A. The client comprising various layers including a service capabilities layer responsive to various constituent information elements for combination into an outgoing primitive. *See* specification page 19, lines 23-28; *see also* Figures 1B & 2D. The various constituent information elements including an information element identifying the client of the physical device and an information element separately identifying a user of the client. *See* specification page 17, lines 24-28.

Independent claim 59 recites a system for communicating a primitive over a network. The system includes at least one terminal device and at least one other entity. *See* Figures 2A & 2C. The terminal device includes means for providing the primitive with an information element identifying a client of the terminal device, and means for providing the primitive also with an information element identifying a user of the client. *See* specification page 19, lines 10-13. The at least one other entity includes means for receiving the primitive provided by the terminal device over the network. *See* specification page 19, lines 14-22. The information element identifying the client of the terminal device, and the information element identifying the user of the client are used by the at least one other entity to distinguish the user and the client. *See* specification page 17, lines 24-28.

Independent claim 61 recites a device for communicating a primitive over a network, the primitive has information elements with a structure recognized by at least one other entity of the network. *See* Figures 2A & 2C. The device includes means for providing the primitive with an information element identifying a client of the device, and means for providing the primitive also with an information element identifying a user of the client. *See* specification page 19, lines 10-13.

Independent claim 64 recites a server for communicating a primitive over a network, the primitive has information elements with a structure recognized by clients being able to communicate with the server over said network. *See* Figures 2A & 2C. The primitive includes an information element identifying a client of a terminal device, and an information element identifying a user of the client. *See* specification page 17, lines 24-28.

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL (37 C.F.R. § 41.37(c)(1)(vi))

Claims 1-5, 7-12, 14-19, 21-26, 28-32, 34-39, 41-46, 48-53, 55-59, 61, 62, 64 and 65 are rejected under 35 U.S.C. §102(e) as being anticipated by Aravamudan et al. (U.S. Patent No. 6,301,609).

Claims 6, 20, 33, and 47 are rejected under 35 U.S.C. §103(a) as being unpatentable over Aravamudan in view of Mendiola (U.S. Patent Application Publication No. 2002/0006803).

VII. ARGUMENT (37 C.F.R. § 41.37(c)(1)(vii))

Rejection under 35 U.S.C. § 102(e) over U.S. Patent No. 6,301,609

Claim 1

Appellant respectfully submits that claim 1 is not disclosed or suggested by Aravamundan, because Aravamundan fails to disclose or suggest all of the limitations recited in claim 1. It is well settled a single prior art reference anticipates a patent claim if it expressly or inherently describes each and every limitation set forth in the patent claim. *Verdegaal Bros., Inc., v. Union Oil Co.*, 2 USPQ2d 1051 (Fed. Cir. 1987). Inherent anticipation requires that the missing descriptive material is "necessarily present," not merely, probably or possibly present, in the prior art. *Trintec Industries, Inc. v. Top-U.S.A. Corp.* 63 USPQ2d 1597, (Fed. Cir. 2002). Aravamundan at least fails to disclose or suggest communicating a primitive from a terminal device to a network, and providing the primitive with an information element identifying a client and a separate information element identifying a user of the client. Furthermore, the term "client" as used in Aravamundan refers to a user of an electronic device, i.e. CPE used to access services. As such, the meaning of "client" as recited in claim 1 is distinct from the way the term is used in Aravamundan, and as a result the teachings of Aravamundan do not disclose or suggest claim 1 as asserted by the Office. Therefore, for at least these reasons appellant respectfully requests withdrawal of the rejections.

Claim 1 recites a method in which a primitive is communicated from a terminal device to a network, and the primitive is provided with an information element identifying a client of the terminal device, and an information element identifying a user of the client. Therefore, claim 1 recites that a separate information element is used to identify the client and the user, and furthermore both information elements are provided in the same primitive. As such, the method of claim 1 provides a primitive containing separate information elements for the user and the client from the terminal device to the network.

In contrast to claim 1, Aravamundan does not disclose or suggest that separate information elements for a user and a client are provided in the same primitive from a terminal device to a network. Instead, Aravamundan at most discloses that after a user has registered with a provisioning server by entering a selected password, the provisioning server provides the client premises equipment (CPE) software with a unique identification (ID). *See* Aravamundan

column 6, lines 49-53. The provisioning server may also convey a copy of the address of the user's IM server and password to the Communication Services Platform (CSP), which can then create personal and administrative databases for the user and convey the unique ID to the IM server creating a new IM account for the user. *See* Aravamundan column 6, lines 54-60.

However, Aravamundan never discloses or suggests communicating a primitive provided with separate information elements identifying the client and the user from a terminal device to a network. The unique ID is not provided from a terminal device to a server as recited in claim 1, but instead from the CSP to the IM server. In addition, the unique ID of the CPE software is not provided in the same primitive as an information element identifying the user. Instead, the user's IM server address and password are provided separately to the CSP, which does not then convey this information to the IM server, because the IM server has no need for its own identification.

Compare claim 1, in which it is recited "providing said primitive with an information element..." and "providing said primitive also with an information element..." (emphasis added). Therefore, claim 1 makes clear that the information elements related to the client and user are separate and provided in the same primitive. In contrast, Aravamundan does not disclose that the information related to a user and client are separate and provided in the same message as recited in claim 1.

Furthermore, Aravamundan discloses that the CPE software generates a message indicating the user's online state and current user address, and conveys the message to the IM server. *See* Aravamundan column 7, lines 5-8. The user's address refers to the address of the user's CPE device, i.e. personal computer, wired telephone or cellular telephone (*see* Aravamundan column 3, lines 30-35), and is not an information element identifying the CPE software itself, but only refers to the address to which the CPE device is attached. *See* Aravamundan column 7, lines 10-20. Therefore, the message conveyed to the IM server is not provided with an information element identifying the user and a separate information element identifying the client, because the address only refers to the CPE device. One of ordinary skill in the art would understand that the CPE device is not the equivalent of the client referred to in claim 1. *See e.g.* specification page 14, lines 23-24. Therefore, Aravamundan at least fails to disclose or suggest providing a primitive with an information element identifying a client and a separate information element identifying a user of the client. Instead, Aravamundan at most

discloses providing separate messages with information related to CPE software and the user of the CPE software.

In addition, in response to Applicant's previously arguments to the non-final Office Action of September 11, 2006, the Office states that Aravamudan discloses the method of **identifying the client** "via the client's client premises equipment through the third party provider for Instant Message service and the service provider." Appellant respectfully submits that the meaning of "client" in Aravamudan is not the same as it is in the instant application, and therefore the assertions of the Office relying upon the teachings of Aravamundan with respect to the client are incorrect with respect to the present application.

At column 3, lines 25-35, Aravamudan teaches:

FIGS. 1 and 2 are block diagrams illustrating exemplary architectural configurations for practicing the principles embodied in the present invention. A service provider 120 provides **client** access to one or more networks for communication and data exchange via a plurality of client premises equipment (CPE) 140. For example, the CPE 140 may include, but is not limited to, a **client's** personal computer (PC) 142, wired telephone 144 or screen phone, wireless cellular phone 150 or screen phone, wireless or wired personal digital assistant (PDA) 146 or other data or communication devices synchronized with a telephone or cellular phone, and/or a cable modem 148 (emphasis added).

Aravamudan did not explicitly define the word "client." However, by reading the above paragraph, a person skilled in the art would understand the word "client" to mean a user that is provided with a service. The user is able to access the service via one or more electronic devices (CPE). One of skill in the art would understand that the user may be a recipient of a service and may own or operate a CPE device such as a personal computer, a wire telephone or screen phone, a wireless cellular phone or screen phone, a wireless or wired personal digital assistant (PDA) or other data or communication devices.

In the present application, the word "client" is particularly defined as an implementation of a service that allows one or more users to access the service. The client may be hardware, software, or any combination thereof (*see* specification page 14, line 23-27). As such, the client may be implemented in a device (or CPE), but certainly not be regarded as a user of the CPE or the CPE itself. Therefore, in the above-cited passage, "a client's CPE" can only be logically interpreted as "a user's CPE."

Further, at column 4, line 65—column 5, line 13, Aravamudan teaches:

FIG. 2 shows an IM server 130 outside of the service provider 120 domain. The IM server 130 interfaces with and services the **client** via the **client's CPE 140** and the **client's** proxy presence within the Communication Services Platform (CSP) 160 via a Services Executive 164. In the embodiment illustrated in FIG. 2, the IM server is a third party server, maintained and operated by a third party provider. The **client** is registered with both the third party provider for the Instant Message service and with the service provider 120 for data and communication access over multiple networks. The Instant Message (IM) server 130 may be implemented as a stand-alone service provided by the third party provider, or in the alternative, may be incorporated within the Communication Services Platform (CSP) 160, in which case a single third party provider provides the services and features associated with both the CSP 160 and the IM server 130 (emphasis added).

Again, this paragraph can only be understood if the word "client" is understood to mean "user." The user is registered with service provider and the service provider, in turn, identifies the user, not the client (the hardware, software, or any combination thereof that implements the service in a CPE). Therefore, the term "client" in Aravamudan has a different meaning as the term "client" used in the present specification, and Aravamudan confuses a client with a user.

The Office further asserts that Aravamudan discloses the method of identifying the user "based on the registers address of the user's Instant message server and provisions the client CPE software with a unique identification." At column 6, lines 45-53, Aravamudan teaches the following:

In accordance with step 204, the **user** is provided with provisioning software for use with his CPE. The **user** installs the provisioning software onto his CPE device(s). The **user** connects and registers, via his CPE, to the provider's secure provisioning server by entering his selected password, when prompted, in accordance with step 206. The provisioning server, in accordance with step 208, registers the address of the user's Instant message server and provisions the **client CPE software** with a **unique identification (ID)** (emphasis added).

Here, the term "user" is similar as the term "user" used in the instant application and, therefore, it is interchangeable with the term "client" in the earlier cited passages of Aravamudan. As shown in Figure 4 of Aravamudan, at the registration, the user provides name and password (step 206), and the server registers the address of the user's Instant message server and assigns a unique ID (step 208). The Office asserts that "The clients in Aravamudan may include, but is not limited to, a client's personal computer (PC), wired telephone or screen phone, wireless cellular phone or PDA. Therefore, the clients in Aravamudan already overcome the claim limitation in the invention of client. According to the description in the specification, client may be hardware, software or any combination thereof. Maybe means maybe yes or

maybe no. Therefore, Aravamudan still overcome the claim limitation.” However, appellant respectfully disagrees with the Office's statement.

Aravamudan only teaches that client premise equipment (CPE) may include, but is not limited to, a client's (a user's) personal computer (PC), wired telephone or screen phone, wireless cellular phone or PDA. A CPE, as per Aravamudan's examples, is a physical device that a user may use to access a service. A "client", as in the instant application, is an implementation of a service. Although according to the instant specification, a client may be hardware, software or any combination thereof, it has to be implemented in a device, such as those defined by Aravamudan as a CPE, in order for a user to access the service. Therefore, the interpretation of a client as a CPE device is incorrect, and based on at least incorrect interpretation of Aravamundan, Aravamundan cannot disclose or suggest the limitations recited in claim 1.

Based on the above, the method as claimed in claim 1 is believed to be patentable with regard to Aravamudan. Appellant respectfully requests the rejection of claim 1 be reversed and withdrawn by the Board.

Claims 2-5, 7-12, 14 and 67

Claims 2-5, 7-12, 14 and 67 all ultimately depend from independent claim 1, and therefore are not disclosed or suggested by Aravamundan at least in view of their dependencies.

Claim 15

Independent claim 15 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 15 is not disclosed or suggested by Aravamundan.

Claims 16-19 and 21-26

Claims 16-19 and 21-26 all ultimately depend from independent claim 15, and therefore are not disclosed or suggested by Aravamundan at least in view of their dependencies.

Claim 28

Independent claim 28 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 28 is not disclosed or suggested by Aravamundan.

Claims 29-32, 34-39 and 41

Claims 29-32, 34-39 and 41 all ultimately depend from independent claim 15, and therefore are not disclosed or suggested by Aravamundan at least in view of their dependencies.

Claim 42

Independent claim 42 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 42 is not disclosed or suggested by Aravamundan.

Claims 43-46, 47-53 and 55

Claims 43-46, 47-53 and 55 all ultimately depend from independent claim 15, and therefore are not disclosed or suggested by Aravamundan at least in view of their dependencies.

Claim 56

Independent claim 56 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 56 is not disclosed or suggested by Aravamundan.

Claims 57-58

Claims 57-58 all ultimately depend from independent claim 15, and therefore are not disclosed or suggested by Aravamundan at least in view of their dependencies.

Claim 59

Independent claim 59 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 59 is not disclosed or suggested by Aravamundan.

Claim 61

Independent claim 61 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 61 is not disclosed or suggested by Aravamundan.

Claim 62

Claim 62 ultimately depends from independent claim 64, and therefore is not disclosed or suggested by Aravamundan at least in view of its dependency.

Claim 64

Independent claim 64 contains limitations similar to those recited in claim 1, and is rejected for the same reasons as claim 1. Therefore, for at least the reasons discussed above in relation to claim 1, claim 64 is not disclosed or suggested by Aravamundan.

Claim 65

Claim 65 ultimately depends from independent claim 64, and therefore is not disclosed or suggested by Aravamundan at least in view of its dependency.

Rejection under 35 U.S.C. § 103(a) over U.S. Patent No. 6,301,609 and U.S. Appl. Publ. No. 2002/0006803

Claims 6, 20, 33 and 47


Claims 6, 20, 33 and 47 all ultimately depend from an independent claim, and are not disclosed or suggested by the cited references, alone or in combination, at least in view of their dependencies.

Conclusion

For the reasons discussed above, applicant respectfully submits that the rejections of the Office Action have been shown to be inapplicable, and respectfully requests that the Board reverses the rejections to pending claims 1-12, 14-26, 28-39, 41-53, 55-59, 61-62, 64-65 and 67. If any additional fee is required for submission of this Appeal Brief, the Commissioner is hereby authorized to charge Deposit Account No. 23-0442.

Respectfully submitted,

Date: 18 September 2007



Keith R. Obert
Attorney for the Appellant
Registration No. 58,051

KRO/kas
WARE, FRESSOLA, VAN DER SLUYS
& ADOLPHSON LLP
755 Main Street, P.O. Box 224
Monroe, CT 06468
Telephone: (203) 261-1234
Facsimile: (203) 261-5676
USPTO Customer No. 004955

CLAIMS APPENDIX

The claims involved in the appeal are as follows:

1. Method for communicating a primitive from a terminal device to a network, said primitive having information elements with a structure recognized by said terminal device and at least one other entity able to communicate over said network, comprising:
providing said primitive with an information element identifying a client of said terminal device,
and
providing said primitive also with an information element identifying a user of said client.
2. The method of claim 1, wherein said primitive is an update presence primitive for use in communicating presence information to said network.
3. The method of claim 1, wherein said primitive is an unsubscribe presence primitive for communicating a request to said network to discontinue receipt of selected presence information.
4. The method of claim 1, wherein said primitive is a leave group primitive for communicating a request to discontinue participation in a group to said network.
5. The method of claim 1, wherein said primitive is a create group primitive for communicating a request to create a group to said network.

6. The method of claim 1, wherein said primitive is a delete group primitive for communicating a request to delete a group to said network.

7. The method of claim 1, wherein said primitive is a get group information primitive for communicating a request for group information to said network.

8. The method of claim 1, further comprising:

providing said primitive with an information element identifying a client of another terminal device, and

providing said primitive with an information element identifying a user of said client of said other terminal device.

9. The method of claim 8, wherein said primitive is a get presence primitive for communicating a request for presence information to said network.

10. The method of claim 8, wherein said primitive is a subscribe presence primitive for communicating a request to subscribe to presence information to said network.

11. The method of claim 8, wherein said primitive is a message primitive for communicating a message to said network.

12. The method of claim 8, wherein said primitive is an invite user primitive for communicating a request to invite a user to said network.

13. The method of claim 1, wherein said at least one other entity comprises at least one server able to recognize said structure of said primitive, and the method comprises:

said client first logging onto said server without providing said primitive with information elements identifying said client and said user, but identifying a supported digest schema,

the client receiving back an authorization failure signal from said server with a nonce serving as a challenge for the client,

the client calculating a digest concatenating the nonce, a user password and a client identification using the supported digest schema,

the client once again logging onto said server but this time with the calculated digest,

the server recalculating the digest using the supported schema and using the nonce and the user password and client identification extracted by the server from the digest provided by the client, and

the server comparing the re-calculated digest with the provided digest and accepting the login if they match.

14. The method of claim 1, wherein said at least one other entity is configured to use said information element identifying a client of said terminal device and said information element identifying a user of said client to distinguish said user and said client.

15. System for communicating identification information over a network, comprising:

at least one terminal device for providing a primitive with an information element identifying a client of said terminal device and an information element identifying a user of said client, and
at least one other entity for receiving said primitive provided over said network,
wherein said information element identifying a client of said terminal device and said information element identifying a user of said client are used by the at least one other entity to distinguish said user and said client.

16. The system of claim 15, wherein said primitive is an update presence primitive for use in communicating presence information to said network.

17. The system of claim 15, wherein said primitive is an unsubscribe presence primitive for communicating a request to said network to discontinue receipt of selected presence information.

18. The system of claim 15, wherein said primitive is a leave group primitive for communicating a request to discontinue participation in a group to said network.

19. The system of claim 15, wherein said primitive is a create group primitive for communicating a request to create a group to said network.

20. The system of claim 15, wherein said primitive is a delete group primitive for communicating a request to delete a group to said network.

21. The system of claim 15, wherein said primitive is a get group information primitive for communicating a request for group information to said network.

22. The system of claim 15, wherein said at least one terminal device is configured to provide said primitive with an information element identifying a client of another terminal device, and an information element identifying a user of said client of said other terminal device.

23. The system of claim 22, wherein said primitive is a get presence primitive for communicating a request for presence information to said network.

24. The system of claim 22, wherein said primitive is a subscribe presence primitive for communicating a request to subscribe to presence information to said network.

25. The system of claim 22, wherein said primitive is a message primitive for communicating a message to said network.

26. The system of claim 22, wherein said primitive is an invite user primitive for communicating a request to invite a user to said network.

27. The system of claim 15, wherein said at least one other entity comprises at least one server able to recognize a structure of said primitive,

wherein said client is configured to first log onto said server without providing said primitive with information elements identifying said client and said user, but identifying a

supported digest schema, receive an authorization failure signal from said server with a nonce serving as a challenge for the client, calculate a digest concatenating the nonce, a user password and a client identification using the supported digest schema, and once again log onto said server but this time with the calculated digest,

and wherein the server is configured to recalculate the digest using the supported schema and using the nonce, the user password and client identification extracted from the digest provided by the client, compare the re-calculated digest with the provided digest and accept the login if they match.

28. Device for communicating a primitive over a network, said primitive having information elements with a structure recognized by at least one other entity of the network, wherein said device is configured to:

provide said primitive with an information element identifying a client of said device, and
provide said primitive also with an information element identifying a user of said client.

29. The device of claim 28, wherein said primitive is an update presence primitive for use in communicating presence information to said network.

30. The device of claim 28, wherein said primitive is an unsubscribe presence primitive for communicating a request to said network to discontinue receipt of selected presence information.

31. The device of claim 28, wherein said primitive is a leave group primitive for communicating a request to discontinue participation in a group to said network.

32. The device of claim 28, wherein said primitive is a create group primitive for communicating a request to create a group to said network.

33. The device of claim 28, wherein said primitive is a delete group primitive for communicating a request to delete a group to said network.

34. The device of claim 28, wherein said primitive is a get group information primitive for communicating a request for group information to said network.

35. The device of claim 28, wherein said device is further configured to:
provide said primitive with an information element identifying a client of another device, and
provide said primitive with an information element identifying a user of said client of said another device.

36. The device of claim 35, wherein said primitive is a get presence primitive for communicating a request for presence information to said network.

37. The device of claim 35, wherein said primitive is a subscribe presence primitive for communicating a request to subscribe to presence information to said network.

38. The device of claim 35, wherein said primitive is a message primitive for communicating a message to said network.

39. The device of claim 35, wherein said primitive is an invite user primitive for communicating a request to invite a user to said network.

40. The device of claim 28, wherein said at least one other entity comprises at least one server, and the client is configured to first log onto said server without providing said primitive with information elements identifying said client and said user, but identifying a supported digest schema, receive an authorization failure signal from said server with a nonce serving as a challenge for the client, calculate a digest concatenating the nonce, a user password and a client identification using the supported digest schema, and once again log onto said server but this time with the calculated digest.

41. The device of claim 28, wherein said at least one other entity is configured to use said information element identifying a client of said terminal device and said information element identifying a user of said client to distinguish said user and said client.

42. Server for communicating a primitive over a network, said primitive having information elements with a structure recognized by clients being able to communicate with said server over said network, wherein said primitive comprises an information element identifying a client and an information element identifying a user of said client.

43. The server of claim 42, wherein said primitive is an update presence primitive for use in communicating presence information.

44. The server of claim 42, wherein said primitive is an unsubscribe presence primitive for communicating a request to discontinue receipt of selected presence information.

45. The server of claim 42, wherein said primitive is a leave group primitive for communicating a request to discontinue participation in a group.

46. The server of claim 42, wherein said primitive is a create group primitive for communicating a request to create a group.

47. The server of claim 42, wherein said primitive is a delete group primitive for communicating a request to delete a group.

48. The server of claim 42, wherein said primitive is a get group information primitive for communicating a request for group information.

49. The server of claim 42, wherein said primitive further comprises:

- an information element identifying another client, and
- an information element identifying a user of said other client.

50. The server of claim 49, wherein said primitive is a get presence primitive for communicating a request for presence information.

51. The server of claim 49, wherein said primitive is a subscribe presence primitive for communicating a request to subscribe to presence information.

52. The server of claim 49, wherein said primitive is a message primitive for communicating a message.

53. The server of claim 49, wherein said primitive is an invite user primitive for communicating a request to invite a user.

54. The server of claim 42, wherein the server is configured to
receive a login message from said client without said primitive with information elements identifying said client and said user, but identifying a supported digest schema, transmit an authorization failure signal to said client with a nonce serving as a challenge for the client,
receive from the client a digest calculated by the client concatenating the nonce, a user password and a client identification using the supported digest schema,
recalculate the digest using the supported schema and using the nonce, the user password and client identification extracted from the digest provided by the client,
compare the re-calculated digest with the provided digest, and
transmit a result signal to said client accepting the login if they match.

55. The server of claim 42, wherein said server is configured to use said information element identifying a client of said terminal device and said information element identifying a user of said client to distinguish said user and said client.

56. A physical device including a client, said client comprising various layers including a service capabilities layer responsive to various constituent information elements for combination into an outgoing primitive, said various constituent information elements including an information element identifying the client of said physical device and an information element separately identifying a user of said client.

57. The device of claim 56, wherein said primitive includes a request for a user identification, said user identification identifies a user which is a destination of a requested operation.

58. The device of claim 57, wherein said primitive further includes a request for a client identification, said client identification identifies a client of the user.

59. System for communicating a primitive over a network, comprising at least one terminal device and at least one other entity, wherein said terminal device comprises:

means for providing said primitive with an information element identifying a client of said terminal device, and

means for providing said primitive also with an information element identifying a user of said client,

and said at least one other entity comprises:

means for receiving said primitive provided by said terminal device over said network,

wherein said information element identifying said client of said terminal device and said information element identifying said user of said client are used by the at least one other entity to distinguish said user and said client.

60. The system of claim 59, wherein said at least one other entity comprises at least one server able to recognize a structure of said primitive, and said terminal device comprises:

means for first logging onto said server without providing said primitive with information elements identifying said client and said user, but identifying a supported digest schema,

means for receiving an authorization failure signal from said server with a nonce serving as a challenge for the client,

means for calculating a digest concatenating the nonce, a user password and a client identification using the supported digest schema, and

means for once again logging onto said server but this time with the calculated digest, and wherein the server comprises:

means for recalculating the digest using the supported schema and using the nonce and the user password and client identification extracted by the server from the digest provided by the client, comparing the recalculated digest with the provided digest and accepting the login if they match.

61. Device for communicating a primitive over a network, said primitive having information elements with a structure recognized by at least one other entity of the network, comprising:
means for providing said primitive with an information element identifying a client of said device, and

means for providing said primitive also with an information element identifying a user of said client.

62. The device of claim 61, further comprising:

means for providing said primitive with an information element identifying a client of another device, and

means for providing said primitive with an information element identifying a user of said client of said another device.

63. The device of claim 61, wherein said at least one other entity comprises at least one server, and said device comprises:

means for first logging onto said server without providing said primitive with information elements identifying said client and said user, but identifying a supported digest schema,

means for receiving an authorization failure signal from said server with a nonce serving as a challenge for the client,

means for calculating a digest concatenating the nonce, a user password and a client identification using the supported digest schema, and

means for once again logging onto said server but this time with the calculated digest.

64. Server for communicating a primitive over a network, said primitive having information elements with a structure recognized by clients being able to communicate with said server over said network, said primitive comprising:

an information element identifying a client of a terminal device, and

an information element identifying a user of said client.

65. The server of claim 64, said primitive further comprising:

an information element identifying another client, and,

an information element identifying a user of said other client.

66. The server of claim 64, comprising:

means for receiving a login message from said client without said primitive with information elements identifying said client and said user, but identifying a supported digest schema,

means for transmitting an authorization failure signal to said client with a nonce serving as a challenge for the client,

means for receiving from the client a digest calculated by the client concatenating the nonce, a user password and a client identification using the supported digest schema,

means for recalculating the digest using the supported schema and using the nonce and the user password and client identification extracted from the digest provided by the client,

means for comparing the re-calculated digest with the provided digest, and

means for transmitting a result signal to said client accepting the login if they match.

67. The method of claim 1, wherein said information element identifying said client of said terminal device comprises a client name and a client address, said information element identifying said user of said client comprises a user name and a user password.

EVIDENCE APPENDIX

None.

RELATED PROCEEDINGS APPENDIX

None.